

Characteristics of Washington State Women Who Gave Birth

| | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Women Who Gave Birth | 76,284 | 76,938 | 77,118 | 78,539 | 78,353 | 79,809 | 78,309 | 77,797 | 79,236 | 80,433 |
| Race / Ethnicity¹ | | | | | | | | | | |
| White | 56,275 | 55,849 | 55,388 | 55,953 | 53,948 | 54,274 | 52,647 | 51,316 | 52,121 | 52,019 |
| Hispanic | 8,596 | 9,004 | 9,408 | 10,138 | 10,668 | 11,357 | 12,111 | 12,402 | 13,206 | 14,059 |
| Black | 2,772 | 2,871 | 2,943 | 2,881 | 3,029 | 3,235 | 3,096 | 3,147 | 2,722 | 2,732 |
| Native American | 1,575 | 1,706 | 1,607 | 1,689 | 1,698 | 1,796 | 1,677 | 1,713 | 1,307 | 1,434 |
| Asian | 4,674 | 4,733 | 4,832 | 4,923 | 4,963 | 5,717 | 5,740 | 6,018 | 5,736 | 6,090 |
| Hawaiian/Pacific Islander | 281 | 309 | 309 | 315 | 675 | 723 | 770 | 726 | 567 | 668 |
| More than 1 race | - | - | - | - | - | - | - | - | 2,157 | 2,320 |
| Other/Unknown | 2,111 | 2,466 | 2,631 | 2,640 | 3,372 | 2,707 | 2,268 | 2,475 | 1,420 | 1,111 |
| Average Age (Yrs.) | 27.2 | 27.3 | 27.3 | 27.4 | 27.4 | 27.5 | 27.6 | 27.7 | 27.8 | 27.8 |
| Age Less Than 18 Yrs. Old | 3,225 | 3,109 | 3,044 | 2,921 | 2,765 | 2,629 | 2,332 | 2,185 | 2,028 | 2,067 |
| Marital Status (Married) | 55,938 | 56,022 | 56,100 | 56,669 | 56,358 | 57,188 | 55,865 | 55,343 | 56,356 | 55,982 |
| Education less than 12 Yrs.¹ | 12,770 | 12,798 | 12,489 | 12,697 | 12,583 | 12,865 | 12,717 | 12,546 | 14,863 | 15,133 |
| Smoking History (Yes)¹ | 11,897 | 11,774 | 10,707 | 10,846 | 9,458 | 9,193 | 8,550 | 8,048 | 8,423 | 7,913 |
| Prenatal Care Began¹ | | | | | | | | | | |
| First Trimester | 58,377 | 59,206 | 58,418 | 58,929 | 58,830 | 60,855 | 59,882 | 59,212 | 52,170 | 52,598 |
| Second Trimester | 9,699 | 9,314 | 9,265 | 9,801 | 9,927 | 10,374 | 9,885 | 9,597 | 9,435 | 10,493 |
| Third Trimester | 1,740 | 1,711 | 1,740 | 1,751 | 1,809 | 1,944 | 1,783 | 1,803 | 1,944 | 2,292 |
| None | 713 | 716 | 510 | 415 | 264 | 325 | 280 | 295 | 861 | 591 |
| Unknown | 5,755 | 5,991 | 7,185 | 7,643 | 7,523 | 6,311 | 6,479 | 6,890 | 14,826 | 14,459 |
| Low Birthweight | 3,282 | 3,331 | 3,395 | 3,443 | 3,410 | 3,341 | 3,426 | 3,326 | 3,556 | 3,763 |
| Singleton Liveborn | 74,976 | 75,548 | 75,711 | 77,075 | 76,817 | 78,279 | 76,817 | 76,253 | 77,586 | 78,827 |

¹ In 2003, birth certificate data collection methods were revised for race, mother's education, prenatal care, and smoking.

Characteristics of Washington State Women Who Gave Birth

| | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Women Who Gave Birth | 76,284 | 76,938 | 77,118 | 78,539 | 78,353 | 79,809 | 78,309 | 77,797 | 79,236 | 80,433 |
| Race / Ethnicity¹ | | | | | | | | | | |
| White | 73.8% | 72.6% | 71.8% | 71.2% | 68.9% | 68.0% | 67.2% | 66.0% | 65.8% | 64.7% |
| Hispanic | 11.3% | 11.7% | 12.2% | 12.9% | 13.6% | 14.2% | 15.5% | 15.9% | 16.7% | 17.5% |
| Black | 3.6% | 3.7% | 3.8% | 3.7% | 3.9% | 4.1% | 4.0% | 4.0% | 3.4% | 3.4% |
| Native American | 2.1% | 2.2% | 2.1% | 2.2% | 2.2% | 2.3% | 2.1% | 2.2% | 1.6% | 1.8% |
| Asian | 6.1% | 6.2% | 6.3% | 6.3% | 6.3% | 7.2% | 7.3% | 7.7% | 7.2% | 7.6% |
| Hawaiian/Pacific Islander | 0.4% | 0.4% | 0.4% | 0.4% | 0.9% | 0.9% | 1.0% | 0.9% | 0.7% | 0.8% |
| More than 1 race | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2.7% | 2.9% |
| Other/Unknown | 2.8% | 3.2% | 3.4% | 3.4% | 4.3% | 3.4% | 2.9% | 3.2% | 1.8% | 1.4% |
| Age Less Than 18 Yrs. Old | 4.2% | 4.0% | 3.9% | 3.7% | 3.5% | 3.3% | 3.0% | 2.8% | 2.6% | 2.6% |
| Marital Status (Married) | 73.3% | 72.8% | 72.7% | 72.2% | 71.9% | 71.7% | 71.3% | 71.1% | 71.1% | 69.6% |
| Education less than 12 Yrs.¹ | 16.7% | 16.6% | 16.2% | 16.2% | 16.1% | 16.1% | 16.2% | 16.1% | 18.8% | 18.8% |
| Smoking History (Yes)¹ | 15.6% | 15.3% | 13.9% | 13.8% | 12.1% | 11.5% | 10.9% | 10.3% | 10.6% | 9.8% |
| Prenatal Care Began¹ | | | | | | | | | | |
| First Trimester | 76.5% | 77.0% | 75.8% | 75.0% | 75.1% | 76.3% | 76.5% | 76.1% | 65.8% | 65.4% |
| Second Trimester | 12.7% | 12.1% | 12.0% | 12.5% | 12.7% | 13.0% | 12.6% | 12.3% | 11.9% | 13.0% |
| Third Trimester | 2.3% | 2.2% | 2.3% | 2.2% | 2.3% | 2.4% | 2.3% | 2.3% | 2.5% | 2.8% |
| None | 0.9% | 0.9% | 0.7% | 0.5% | 0.3% | 0.4% | 0.4% | 0.4% | 1.1% | 0.7% |
| Unknown | 7.5% | 7.8% | 9.3% | 9.7% | 9.6% | 7.9% | 8.3% | 8.9% | 18.7% | 18.0% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 4.4% | 4.4% | 4.5% | 4.5% | 4.4% | 4.3% | 4.5% | 4.4% | 4.6% | 4.8% |

¹ In 2003, birth certificate data collection methods were revised for race, mother's education, prenatal care, and smoking.

Characteristics of Washington State Medicaid Women Who Gave Birth

| | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Women Who Gave Birth | 31,946 | 32,732 | 32,581 | 32,614 | 32,830 | 33,913 | 34,124 | 33,744 | 36,118 | 36,915 |
| All women | 76,284 | 76,938 | 77,118 | 78,539 | 78,353 | 79,809 | 78,309 | 77,797 | 79,236 | 80,433 |
| Race / Ethnicity¹ | | | | | | | | | | |
| White | 19,567 | 19,826 | 19,378 | 19,140 | 18,317 | 18,675 | 18,700 | 18,316 | 19,070 | 19,080 |
| Hispanic | 6,864 | 7,108 | 7,456 | 7,937 | 8,355 | 8,830 | 9,134 | 9,029 | 10,049 | 10,626 |
| Black | 1,715 | 1,802 | 1,878 | 1,774 | 1,885 | 2,083 | 2,032 | 1,964 | 1,789 | 1,865 |
| Native American | 1,195 | 1,276 | 1,222 | 1,274 | 1,281 | 1,326 | 1,249 | 1,252 | 1,004 | 1,110 |
| Asian | 1,790 | 1,758 | 1,669 | 1,563 | 1,544 | 1,768 | 1,754 | 1,863 | 1,844 | 1,867 |
| Hawaiian/Pacific Islander | 134 | 159 | 157 | 160 | 333 | 394 | 417 | 389 | 368 | 415 |
| More than 1 race | - | - | - | - | - | - | - | - | 1,253 | 1,313 |
| Other/Unknown | 681 | 803 | 821 | 766 | 1,115 | 837 | 838 | 931 | 741 | 639 |
| Average Age (Yrs.) | 24.2 | 24.3 | 24.3 | 24.3 | 24.4 | 24.5 | 24.7 | 24.9 | 25.1 | 25.0 |
| Age Less Than 18 Yrs. Old | 2,855 | 2,772 | 2,720 | 2,590 | 2,460 | 2,377 | 2,101 | 1,918 | 1,881 | 1,913 |
| Marital Status (Married) | 15,201 | 15,483 | 15,304 | 14,971 | 15,134 | 15,629 | 15,787 | 15,870 | 16,921 | 16,415 |
| Education less than 12 Yrs.¹ | 10,992 | 11,113 | 10,763 | 10,941 | 10,754 | 11,107 | 10,937 | 10,477 | 12,796 | 12,888 |
| Smoking History (Yes)¹ | 8,104 | 8,199 | 7,450 | 7,549 | 6,508 | 6,616 | 6,378 | 6,063 | 6,631 | 6,201 |
| Prenatal Care Began¹ | | | | | | | | | | |
| First Trimester | 21,019 | 21,780 | 21,403 | 21,112 | 21,266 | 22,391 | 22,582 | 22,453 | 21,306 | 21,271 |
| Second Trimester | 6,406 | 6,308 | 6,134 | 6,304 | 6,777 | 6,954 | 6,601 | 6,212 | 6,492 | 7,290 |
| Third Trimester | 1,305 | 1,245 | 1,216 | 1,284 | 1,350 | 1,464 | 1,269 | 1,292 | 1,421 | 1,649 |
| None | 450 | 459 | 299 | 253 | 171 | 231 | 201 | 209 | 523 | 415 |
| Unknown | 2,766 | 2,940 | 3,529 | 3,661 | 3,266 | 2,873 | 3,471 | 3,578 | 6,376 | 6,290 |
| Maternity Support Services² | 21,833 | 22,779 | 22,602 | 23,025 | 23,337 | 24,555 | 24,301 | 24,031 | 25,162 | 26,215 |
| Average No. MSS Visits | 6.5 | 6.7 | 6.9 | 7.1 | 7.3 | 7.5 | 7.4 | 7.6 | 7.6 | 7.9 |
| Case Management³ | 6,099 | 6,696 | 6,622 | 7,019 | 7,676 | 8,353 | 8,591 | 8,319 | 7,274 | 7,359 |
| Average No. CM Visits | 4.5 | 4.6 | 4.5 | 4.8 | 4.6 | 4.7 | 4.5 | 4.3 | 4.1 | 4.7 |
| Low Birthweight | 1,747 | 1,807 | 1,787 | 1,756 | 1,703 | 1,721 | 1,746 | 1,724 | 1,886 | 2,082 |
| Singleton Liveborn | 31,432 | 32,181 | 32,077 | 32,024 | 32,214 | 33,305 | 33,533 | 33,139 | 35,432 | 36,296 |

¹ In 2003, birth certificate data collection methods were revised for race, mother's education, prenatal care, and smoking.

² MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

³ Case management program changes were implemented in 2003. Figures here, for any year, reflect visits charged to mothers or children from 60 to 365 days postpartum.

Characteristics of Washington State Medicaid Women Who Gave Birth

| | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Women Who Gave Birth | 31,946 | 32,732 | 32,581 | 32,614 | 32,830 | 33,913 | 34,124 | 33,744 | 36,118 | 36,915 |
| % of All women | 41.9% | 42.5% | 42.2% | 41.5% | 41.9% | 42.5% | 43.6% | 43.4% | 45.6% | 45.9% |
| Race / Ethnicity¹ | | | | | | | | | | |
| White | 61.3% | 60.6% | 59.5% | 58.7% | 55.8% | 55.1% | 54.8% | 54.3% | 52.8% | 51.7% |
| Hispanic | 21.5% | 21.7% | 22.9% | 24.3% | 25.4% | 26.0% | 26.8% | 26.8% | 27.8% | 28.8% |
| Black | 5.4% | 5.5% | 5.8% | 5.4% | 5.7% | 6.1% | 6.0% | 5.8% | 5.0% | 5.1% |
| Native American | 3.7% | 3.9% | 3.8% | 3.9% | 3.9% | 3.9% | 3.7% | 3.7% | 2.8% | 3.0% |
| Asian | 5.6% | 5.4% | 5.1% | 4.8% | 4.7% | 5.2% | 5.1% | 5.5% | 5.1% | 5.1% |
| Hawaiian/Pacific Islander | 0.4% | 0.5% | 0.5% | 0.5% | 1.0% | 1.2% | 1.2% | 1.2% | 1.0% | 1.1% |
| More than 1 race | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 3.5% | 3.6% |
| Other/Unknown | 2.1% | 2.5% | 2.5% | 2.3% | 3.4% | 2.5% | 2.5% | 2.8% | 2.1% | 1.7% |
| Age Less Than 18 Yrs. Old | 8.9% | 8.5% | 8.3% | 7.9% | 7.5% | 7.0% | 6.2% | 5.7% | 5.2% | 5.2% |
| Marital Status (Married) | 47.6% | 47.3% | 47.0% | 45.9% | 46.1% | 46.1% | 46.3% | 47.0% | 46.8% | 44.5% |
| Education less than 12 Yrs.¹ | 34.4% | 34.0% | 33.0% | 33.5% | 32.8% | 32.8% | 32.1% | 31.0% | 35.4% | 34.9% |
| Smoking History (Yes)¹ | 25.4% | 25.0% | 22.9% | 23.1% | 19.8% | 19.5% | 18.7% | 18.0% | 18.4% | 16.8% |
| Prenatal Care Began¹ | | | | | | | | | | |
| First Trimester | 65.8% | 66.5% | 65.7% | 64.7% | 64.8% | 66.0% | 66.2% | 66.5% | 59.0% | 57.6% |
| Second Trimester | 20.1% | 19.3% | 18.8% | 19.3% | 20.6% | 20.5% | 19.3% | 18.4% | 18.0% | 19.7% |
| Third Trimester | 4.1% | 3.8% | 3.7% | 3.9% | 4.1% | 4.3% | 3.7% | 3.8% | 3.9% | 4.5% |
| None | 1.4% | 1.4% | 0.9% | 0.8% | 0.5% | 0.7% | 0.6% | 0.6% | 1.4% | 1.1% |
| Unknown | 8.7% | 9.0% | 10.8% | 11.2% | 9.9% | 8.5% | 10.2% | 10.6% | 17.7% | 17.0% |
| Maternity Support Services² | 68.3% | 69.6% | 69.4% | 70.6% | 71.1% | 72.4% | 71.2% | 71.2% | 69.7% | 71.0% |
| Case Management³ | 19.1% | 20.5% | 20.3% | 21.5% | 23.4% | 24.6% | 25.2% | 24.7% | 20.1% | 19.9% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 5.6% | 5.6% | 5.6% | 5.5% | 5.3% | 5.2% | 5.2% | 5.2% | 5.3% | 5.7% |

¹ In 2003, birth certificate data collection methods were revised for race, mother's education, prenatal care, and smoking.

² MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

³ Case management program changes were implemented in 2003. Figures here, for any year, reflect visits charged to mothers or children from 60 to 365 days postpartum.

Characteristics of Washington State Medicaid Non-Citizen Women Who Gave Birth

| | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Women Who Gave Birth | 2,976 | 3,262 | 4,029 | 4,367 | 5,009 | 5,874 | 6,132 | 6,312 | 7,182 | 7,492 |
| All Medicaid women | 31,946 | 32,732 | 32,581 | 32,614 | 32,830 | 33,913 | 34,124 | 33,744 | 36,118 | 36,915 |
| Race / Ethnicity¹ | | | | | | | | | | |
| White | 49 | 65 | 64 | 67 | 126 | 185 | 225 | 261 | 321 | 327 |
| Hispanic | 2,818 | 3,024 | 3,784 | 4,099 | 4,537 | 5,090 | 5,249 | 5,240 | 5,798 | 6,172 |
| Black | 6 | 22 | 31 | 27 | 56 | 106 | 103 | 140 | 152 | 146 |
| Native American | 2 | - | 2 | 2 | 3 | 8 | 10 | 5 | 6 | 4 |
| Asian | 80 | 108 | 115 | 142 | 226 | 415 | 461 | 568 | 612 | 604 |
| Hawaiian/Pacific Islander | 3 | 5 | 3 | 6 | 14 | 27 | 25 | 37 | 59 | 57 |
| More than 1 race | - | - | - | - | - | - | - | - | 25 | 19 |
| Other/Unknown | 18 | 38 | 30 | 24 | 47 | 43 | 59 | 61 | 209 | 163 |
| Average Age (Yrs.) | 24.3 | 24.5 | 24.8 | 24.9 | 25.1 | 25.3 | 25.7 | 26.1 | 26.2 | 26.3 |
| Age Less Than 18 Yrs. Old | 200 | 202 | 254 | 251 | 287 | 310 | 263 | 241 | 308 | 320 |
| Marital Status (Married) | 1,885 | 2,087 | 2,483 | 2,591 | 3,053 | 3,555 | 3,760 | 3,859 | 4,302 | 4,270 |
| Education less than 12 Yrs.¹ | 2,062 | 2,127 | 2,611 | 2,729 | 2,990 | 3,333 | 3,360 | 3,376 | 4,396 | 4,580 |
| Smoking History (Yes)¹ | 32 | 35 | 53 | 28 | 56 | 38 | 36 | 47 | 53 | 45 |
| Prenatal Care Began¹ | | | | | | | | | | |
| First Trimester | 1,695 | 1,858 | 2,378 | 2,518 | 3,014 | 3,553 | 3,864 | 3,977 | 3,940 | 4,046 |
| Second Trimester | 795 | 801 | 1,005 | 1,057 | 1,252 | 1,447 | 1,321 | 1,299 | 1,460 | 1,649 |
| Third Trimester | 197 | 207 | 225 | 263 | 331 | 400 | 292 | 307 | 391 | 477 |
| None | 38 | 63 | 35 | 32 | 13 | 20 | 32 | 20 | 90 | 69 |
| Unknown | 251 | 333 | 386 | 497 | 399 | 454 | 623 | 709 | 1,301 | 1,251 |
| Maternity Support Services² | 2,393 | 2,745 | 3,442 | 3,806 | 4,467 | 5,277 | 5,329 | 5,594 | 6,372 | 6,658 |
| Average No. MSS Visits | 7.8 | 8.1 | 8.5 | 8.9 | 9.3 | 9.3 | 9.1 | 9.3 | 9.5 | 10.3 |
| Case Management³ | 849 | 1,014 | 1,287 | 1,474 | 1,832 | 2,222 | 2,351 | 2,343 | 2,060 | 2,109 |
| Average No. CM Visits | 4.1 | 4.0 | 4.0 | 4.1 | 4.2 | 4.4 | 4.2 | 4.2 | 3.8 | 5.2 |
| Low Birthweight | 116 | 142 | 175 | 195 | 204 | 233 | 234 | 256 | 295 | 354 |
| Singleton Liveborn | 2,943 | 3,213 | 3,982 | 4,320 | 4,928 | 5,800 | 6,046 | 6,241 | 7,084 | 7,393 |

¹ In 2003, birth certificate data collection methods were revised for race, mother's education, prenatal care, and smoking.

² MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

³ Case management program changes were implemented in 2003. Figures here, for any year, reflect visits charged to mothers or children from 60 to 365 days postpartum.

Non-Citizen women include those who are not legally admitted for permanent residence, lack temporary residence status, are not lawfully present in the United States according to the provisions of the Immigration Act, or are lawful non-citizen permanent residents. Citizenship status is determined from Medicaid eligibility records.

Qualified aliens who have resided in the U.S. for 5 years or more are eligible for regular Medicaid coverage, if otherwise eligible.

Characteristics of Washington State Medicaid Non-Citizen Women Who Gave Birth

| | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Women Who Gave Birth | 2,976 | 3,262 | 4,029 | 4,367 | 5,009 | 5,874 | 6,132 | 6,312 | 7,182 | 7,492 |
| % of All Medicaid women | 9.3% | 10.0% | 12.4% | 13.4% | 15.3% | 17.3% | 18.0% | 18.7% | 19.9% | 20.3% |
| Race / Ethnicity¹ | | | | | | | | | | |
| White | 1.6% | 2.0% | 1.6% | 1.5% | 2.5% | 3.1% | 3.7% | 4.1% | 4.5% | 4.4% |
| Hispanic | 94.7% | 92.7% | 93.9% | 93.9% | 90.6% | 86.7% | 85.6% | 83.0% | 80.7% | 82.4% |
| Black | 0.2% | 0.7% | 0.8% | 0.6% | 1.1% | 1.8% | 1.7% | 2.2% | 2.1% | 1.9% |
| Native American | 0.1% | 0.0% | 0.0% | 0.0% | 0.1% | 0.1% | 0.2% | 0.1% | 0.1% | 0.1% |
| Asian | 2.7% | 3.3% | 2.9% | 3.3% | 4.5% | 7.1% | 7.5% | 9.0% | 8.5% | 8.1% |
| Hawaiian/Pacific Islander | 0.1% | 0.2% | 0.1% | 0.1% | 0.3% | 0.5% | 0.4% | 0.6% | 0.8% | 0.8% |
| More than 1 race | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.3% | 0.3% |
| Other/Unknown | 0.6% | 1.2% | 0.7% | 0.5% | 0.9% | 0.7% | 1.0% | 1.0% | 2.9% | 2.2% |
| Age Less Than 18 Yrs. Old | 6.7% | 6.2% | 6.3% | 5.7% | 5.7% | 5.3% | 4.3% | 3.8% | 4.3% | 4.3% |
| Marital Status (Married) | 63.3% | 64.0% | 61.6% | 59.3% | 61.0% | 60.5% | 61.3% | 61.1% | 59.9% | 57.0% |
| Education less than 12 Yrs.¹ | 69.3% | 65.2% | 64.8% | 62.5% | 59.7% | 56.7% | 54.8% | 53.5% | 61.2% | 61.1% |
| Smoking History (Yes)¹ | 1.1% | 1.1% | 1.3% | 0.6% | 1.1% | 0.6% | 0.6% | 0.7% | 0.7% | 0.6% |
| Prenatal Care Began¹ | | | | | | | | | | |
| First Trimester | 57.0% | 57.0% | 59.0% | 57.7% | 60.2% | 60.5% | 63.0% | 63.0% | 54.9% | 54.0% |
| Second Trimester | 26.7% | 24.6% | 24.9% | 24.2% | 25.0% | 24.6% | 21.5% | 20.6% | 20.3% | 22.0% |
| Third Trimester | 6.6% | 6.3% | 5.6% | 6.0% | 6.6% | 6.8% | 4.8% | 4.9% | 5.4% | 6.4% |
| None | 1.3% | 1.9% | 0.9% | 0.7% | 0.3% | 0.3% | 0.5% | 0.3% | 1.3% | 0.9% |
| Unknown | 8.4% | 10.2% | 9.6% | 11.4% | 8.0% | 7.7% | 10.2% | 11.2% | 18.1% | 16.7% |
| Maternity Support Services² | 80.4% | 84.2% | 85.4% | 87.2% | 89.2% | 89.8% | 86.9% | 88.6% | 88.7% | 88.9% |
| Case Management³ | 28.5% | 31.1% | 31.9% | 33.8% | 36.6% | 37.8% | 38.3% | 37.1% | 28.7% | 28.2% |
| Low Birthweight | | | | | | | | | | |
| Singleton Liveborn | 3.9% | 4.4% | 4.4% | 4.5% | 4.1% | 4.0% | 3.9% | 4.1% | 4.2% | 4.8% |

¹ In 2003, birth certificate data collection methods were revised for race, mother's education, prenatal care, and smoking.

² MSS includes prenatal and postpartum visits through the 2nd postpartum month. A visit is one or more billed units of service on a single day, including multiple encounter types.

³ Case management program changes were implemented in 2003. Figures here, for any year, reflect visits charged to mothers or children from 60 to 365 days postpartum.

Non-Citizen women include those who are not legally admitted for permanent residence, lack temporary residence status, are not lawfully present in the United States according to the provisions of the Immigration Act, or are lawful non-citizen permanent residents. Citizenship status is determined from Medicaid eligibility records.

Qualified aliens who have resided in the U.S. for 5 years or more are eligible for regular Medicaid coverage, if otherwise eligible.